DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA

MINISTRY OF HIGHWAYS

ROAD DEVELOPMENT AUTHORITY



BIDDING DOCUMENT FOR

CONSTRUCTION OF MADA ARAWA BRIDGE, KEHELWATHUPITIYA BRIDGE AND ILLAGOLLA BRIDGE

CONTRACT NO: RDA/Central/N. Eliya/Hangu/GSP/CECB/33

BID SUBMITTED BY

[Name of the Bidder]

Table of Contents

DETAILS OF PROJECT LOCATION	PAGE
INTRODUCTION	
VOLUME 1	
Section - 1	
Section - 1	
FORM OF LETTER OF ACCEPTANCE	
FORM OF PERFORMANCE SECURITY	
FORM OF AGREEMENT	
FORM OF ADVANCE PAYMENT SECURITY	
FORM OF RETENTION MONEY GUARANTEE	
Section - 3	
VOLUME - 2	
INVITATION FOR BIDS - 05	
Section - 4	
FORM OF BID	
QUALIFICATION INFORMATION	
Section - 5	
BIDDING DATA CONTRACT DATA	
Section - 6	
STANDARD SPECIFICATIONS	
PARTICULAR SPECIFICATIONS	
Section-7	
BILL OF QUANTITIES	
DAY WORKS	
Section - 8	
DRAWINGS	
Section - 9	
FORM OF BID SECURITY	
FORM FOR AFFIDAVIT FOR THE CURRENT COMMITMENTS	
FORM FROM THE BANK FOR GRANTING THE REVOLVING LINE OF CREDIT	67

DETAILS OF PROJECT LOCATION

MadaArawa Bridge



From LB Side



From RB Side




From U/S Side

District – Nuwara Eliya

DS Division – Walapane

SITE DATA





From D/S Side

EE Division – Hanguranketha

Kehelwathupitiya Bridge



From LB Side




From U/S Side

District – Nuwara Eliya

DS Division – Walapane

SITE DATA





From RB Side



From D/S Side

EE Division – Hanguranketha

Illagolla Bridge



From LB Side




From RB Side



From U/S Side

District – Nuwara Eliya DS Division – Walapane

SITE DATA





From D/S Side

EE Division – Hanguranketha

INTRODUCTION

- This Bidding Document has two parts, namely, Volume 1 and Volume 2.
- The bidders are expected to buy the following Standard Bidding Document from the

Construction Industry Development Authority (CIDA): -

STANDARD BIDDING DOCUMENT

PROCUREMENT OF WORKS

SECOND EDITION – JANUARY 2007 with addendum issued in October 2009 by

CIDA

- CIDA PUBLICATION NO. CIDA/SBD/01
- This Bidding Document shall be read in conjunction with the above Standard Bidding Document.
- The Address of CIDA is

Construction Industry Development Authority

'Savsiripaya'123, Wijerama Mawatha,

Colombo-07

VOLUME 1

VOLUME 1

Section	1	Instruction to Bidders
Section	2	Standard Forms (Contract)
Section	3	Conditions of Contract

Section - 1

Instruction to Bidders

The text of this 'Instructions to Bidders' is found in the 'Standard Bidding Document Procurement of Works 'CIDA Publication No. CIDA/SBD/01 – Second Edition – January 2007 with Addendum issued in October 2009 by CIDA

This publication is copyright and bidders, if they do not already possess a copy, may obtain it from: Construction Industry Development Authority 'Savsiripaya' 123, Wijerama Mawatha Colombo-07

This has to be read in conjunction with Addendum of SBD/01 issued in October 2009 by CIDA and Section -5 – 'Bidding Data and Contract Data' of this Bidding Document. Wherever the Clauses of the Section -1 – 'Instruction to Bidders' have to be modified and/or supplemented, it is done through the text in the Section -5 – 'Bidding Data and Contract Data'.

Section - 2

Standard Forms (Contract)

- Letter of Acceptance
- Performance Guarantee
- Form of Agreement
- Advance Payment Security
- Retention Money Guarantee

FORM OF LETTER OF ACCEPTANCE

[Date]

[Contractor's Name & Address]

This is to notify you that your bid dated for the construction and remedying the defects of the Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge under Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33 for the Contract Price of Rupees as corrected in accordance with Instruction to Bidders is hereby accepted.

You are hereby instructed to proceed with the execution of the said Works in accordance with the Contract Documents.

The Start Date shall be

The amount of Performance Security is.....

The Performance Security shall be submitted on or before

Director General Road Development Authority

FORM OF PERFORMANCE SECURITY

(Unconditional)

[Issuing Agency's Name, and Address of Issuing Branch or Office]

Beneficiary: Director General, Road Development Authority (hereinafter called and referred to as "the Employer") 1st floor, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla.

Date:

PERFORMANCE GUARANTEE No.:

Furthermore, we understand that, according to the Conditions of the Contract, a performance guarantee is required.

This guarantee shall expire, no later than the day of2021 [28 days beyond the expiry of the *intended completion date]* and any demand for payment under it must be received by us at this office on or before that date.

FORM OF AGREEMENT

Whereas the Employer desires that the Contractor executes the 'Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge under Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33 (hereinafter called and referred to as "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and remedying of any defects therein.

NOW THIS AGREEMENT WITNESSETH as follows:

- 1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to, and they shall be deemed to form and be read and construed as part of this Agreement.
- 2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all respects with the provisions of the Contract.
- 3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

In Witness whereof the parties hereto have caused this Agreement to be executed on the day and year aforementioned in accordance with laws of Sri Lanka.

nen
Development Authority
nalf of the Employer
presence of Witness:
SS

FORM OF ADVANCE PAYMENT SECURITY

[Name and address of Agency, and Address of Issuing Branch or Office]

Beneficiary: Director General, Road Development Authority (hereinafter called and referred to as "the Employer") 1st floor, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla.

Date:

ADVANCE PAYMENT GUARANTEE No.:

The maximum amount of this guarantee shall be progressively reduced by the amount of the advance payment repaid by the Contractor.

This guarantee shall expire on[insert the date, 28 days beyond the Time for Completion]

Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

FORM OF RETENTION MONEY GUARANTEE

(Issuing Agency's Name and Address of Issuing Branch or Office)

Beneficiary: Director General, Road Development Authority, 1st Floor, Maganeguma Mahamedura",216, Denzil Kobbekaduwa Mawatha, Battaramulla. Date: ------

RETENTION MONEY GUARANTEE No.:-----

we have been informed that ------(name of Contractor) (hereinafter called "the Contractor") had entered into Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33 dated2021, with you, for the execution of 'Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge" hereinafter called "the Contract") Furthermore, we understand that, according to the Conditions of Contract, when the works have been taken over and the first half of the Retention Money has been certified for payment, payment of the second half of the Retention Money may be made against a Retention Money guarantee.

At the request of the Contractor, we ------(name of agency) hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of ------ (amount in figures)------

------(amount in words) upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation under the Contract because the Contractor has not attended to the defects in accordance with the Contract.

The guarantee shall expire, at the latest, ----- (insert 28 days after the end of the Defects Notification Period). Consequently, any demand for payment under this guarantee must be received by us at this office on or before that date.

Name, Signature and the Seal of	f the Agency:		
Name of the Organization			
Designation			
Date:			
Witness:			
Name	NIC No	Signature	
Name	NIC No	Signature	

Section - 3

Conditions of Contract

The text of this 'Conditions of Contract' is found in the 'Standard Bidding Document Procurement of Works' CIDA Publication No. CIDA/SBD/01 – Second Edition – January 2007 with Addendum issued in October 2009 This publication is copyright and bidders, if they do not already possess a copy, may obtain it from: Construction Industry Development Authority 'Savsiripaya' 123, Wijerama Mawatha Colombo-07

This has to be read in conjunction with Addendum of SBD/01 issued in October 2009 by CIDA and Section -5 – 'Bidding Data and Contract Data' of this Bidding Document. Wherever the Clauses of the Section -3 – 'Conditions of Contract Bidders' have to be modified and/or supplemented, it is done through the text in the Section -5 – 'Bidding Data and Contract Data'.

VOLUME - 2

VOLUME 2

- Invitation for Bids
- Section 4 Form of Bid and Qualification Information
- Section 5 Bidding Data and Contract Data
- Section 6 Specifications
- Section 7 Bill of Quantities
- Section 8 Drawings
- Section 9 Standard Bid Forms

DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA INVITATION FOR BIDS - 05

GOVERNMENT OF THE DEMOCRATIC SOCIALIST REPUBLIC OF SRI LANKA MINISTRY OF HIGHWAYS

NATIONAL COMPETITIVE BIDDING

1. The Chairman, Ministry Procurement Committee 2 (MPC 2) of Ministry of Highways, now invites sealed bids from eligible and qualified bidders for the works described below: -

Ref. No.	Contract No.	Name of the contract	RDA EE Area/ District	Engineer's Estimate (Including contingencies & without VAT) / (LKR Mn)	Contract period (Calendar Days)	CIDA Grade	Non- Refundable Fee	Bid Security (LKR.)
1	RDA/N.West /Kuru,Put/GS P/CECB/29	1. Bridge across Warawewa Spill Canal on Mahagalkaduwala – Galawewa Road in Kurunegala	Kurunegala / Kurunegala	58.33	270	C4 & C3	12,000/-	800,000/-
	1,0100/2)	2. Bridge in Kottukachchiya - Kachchimaduwa Road in Puttlam	Puttalam/ Puttalam			0.5		
2	RDA/N.West /Put/Put/GSP/ CECB/30	Construction of Bridge Across Mee Oya in Kaladiya - Muriyakulama road	Puttalam/ Puttalam	76.89	365	C4 & C3	16,000/-	1,100,000/-
3	RDA/South/ Gall/Gall/GS P/CECB/31	 Construction of Ahungalla Gallena Bridge Construction of Bridge across Gintota Koppa Ela - Elabada Bridge 	Galle / Galle	37.90	150	C5 & C4	7,500/-	550,000/-
4	RDA/South/ Gall.Mt/GSP/ CECB/32	 Construction of Bridge across Thuduwegoda Ela Construction of Bridge near Wellawaththa Construction of Rajawaththa Aladeniya Bridge Reconstruction of Waththehena Bridge by replacing with a concrete deck 	Galle / Galle Deniyaya / Matara	86.64	270	C4 & C3	18,000/-	1,250,000/-
5	RDA/Central/ N. Eliya /Hangu/GSP/C ECB/33	 MadaArawa Bridge Kehelwathupitiya Bridge Illagolla Bridge 	Hanguranketha/ Nuwaraeliya	33.00	210	C4 & C3	6,500/-	450,000/-
6	RDA/West/K alu/Agala/GS P/CECB/34	Construction of Bridge across Alternative Road connecting to Ihala Hewessa - Neluwa Road	Agalawatta / Kaluthara	41.15	270	C5 & C4	8,500/-	600,000/-

- 2. Rehabilitation and Improvement activities (the works) will include but not limited to the following:
 - Site Clearing and Excavation;
 - Bridge/ Culvert Construction with access Roads.
 - Drainage construction / improvements;
 - Relocation of utilities

- 3. Bidding will be conducted through the National Competitive Bidding Procedure. The regional preference and CIDA grade preference shall apply only for the contract packages where Engineer's Estimate is less than Rs. 50 Mn, as stipulated in Public Finance Circular No. 04/2016 (ii).
- 4. To be eligible for contract award, the successful bidder shall not have been blacklisted and shall be currently registered with the Construction Industry Development Authority formerly named as Institute for Construction Training and Development (ICTAD) for **Bridge or Highway Construction** in **above** grades.
- 5. Interested bidders may obtain further information and inspect the bidding documents during office hours (from 09:00 hrs to 15:00 hrs Monday to Friday inclusive, except Public Holidays) from Additional Secretary (Engineering), Ministry of Highways, 7th Floor, "Maganeguma Mahamadura", Denzil Kobbakaduwa Mawatha, Battaramulla. TP: 011-2887463, 011-2887543, Fax: 011-2887464.] or relevant Provincial Director Office.
- 6. A complete set of Bidding Documents in English language shall be purchased by <u>interested</u> bidders on submission of a written application with the registration certificate issued by Registrar of Public contracts under the Act No. 3 of 1987, Department of Registrar Companies for Contracts, from the Additional Secretary (Engineering), Ministry of Highways, 7th Floor, "Maganeguma Mahamadura", Denzil Kobbakaduwa Mawatha, Battaramulla or relevant Provincial Director Office from 06th December 2021 until 22nd December 2021during 09:00 hrs to 15:00 hrs upon payment of a non-refundable fee. The non refundable tender fee can be paid by depositing cash to the following account.

a.	Account Name	: Secretary – Ministry of Highways
b.	Account Number	: 0007040370

- c. Bank Name : Bank of Ceylon- Battaramulla
- 7. Pre-bid meeting will be held at the office of the relevant Provincial Director, Road Development Authority as specified in the bidding document at 10.00 a.m. on 17th December 2021 and Site visit will be arranged if necessary.
- 8. Bid shall be addressed to the Chairman, Ministry Procurement Committee 2, C/o Additional Secretary (Engineering), Ministry of Highways, 7thFloor, "Maganeguma Mahamedura", Denzil Kobbekaduwa Mawatha, Battaramulla in duplicate on or before 14:00 hrs on 23rd December 2021 together with bid security as described in the bidding document. Late bids will be rejected. Bid opening to be done soon after the closing of bids at the Engineering Division, Ministry of Highways, 7thFloor, "Maganeguma Mahamedura", Denzil Kobbekaduwa Mawatha, Battaramulla.
- 9. The bidder shall bear all costs associated with the preparation and submission of its Bids, and the Employer shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

The Address Referred to above is The Chairman, Ministry Procurement Committee 2, C/o Additional Secretary (Engineering) Ministry of Highways, 7th Floor, Maganeguma Mahamedura, Denzil Kobbekaduwa Mawatha, Battaramulla. 02.12.2021

Section - 4

Form of Bid and Qualification Information

FORM OF BID

Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge

UNDER Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33

To: Director General, Road Development Authority,

Gentlemen,

as may be ascertained in accordance with the said Conditions.

- 2. We acknowledge that the Contract Data forms part of our Bid.
- 3. We undertake, if our Bid is accepted, to commence the Works as stipulated in the Contract Data, and to complete the whole of the Works comprised in the Contract within the time stated in the Contract Data.
- 4. We agree to abide by this Bid with in the date specified in ITB clause 15.1 or any extended period to which we may agree and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- 5. Unless and until a formal Agreement is prepared and executed, this Bid together with your written acceptance thereof shall constitute a binding contract between us.
- 6. We understand that you are not bound to accept the lowest or any Bid you may receive.

Dated thisday of2021 in the capacity ofduly authorized to sign tenders for and on behalf of

Name	:(IN BLOCK CAPITALS)
Signature	:
Designation	
Address	:
Witness	: 1.Name Signature
	2.Name Signature

*The amount inserted here should not include the VAT component.

****Bid signed by a person other than the authorized person shall be as non-responsive**

QUALIFICATION INFORMATION

CIDA Registration	Please attach photo copy of Original Documents (as annex -01)
Registration Number	
Grade & Speciality	
Expiry Date	
VAT Registration Number	(Attach as Annex 02)
Construction Program	(Attach as annex 11)
Legal Status (Please attach photo copy of original documents as annex)	(Attach as Annex 03)
Authentication of Signatory	(Attach original with form of bid & a photo copy as annex -04)
Value Of Construction works performed (Attach copy of Audited Financial Report)	(Attach as Annex 05)
Year 2019/2020	
Year 2018/2019	
Year 2017/2018	
Year 2016/2017	
Year 2015/2016	

Details of Contract works in hand

(Attach as annex 06)

			(
Specialty	Name of the Contract	Name of the Client	Initial Contract Amount (Rs.)	Outstanding Work (Rs.)	Expected date of completion
Highways*					
-					
Bridges*					
Buildings*					
Irrigation*					
#					
		Total			

* Add additional rows to include all the current projects if needed

Provide additional speciality, to include all the current projects

Note – The bidders who do not provide all contract commitment shall be treated as non-responsive according to the clause 3.3 of ITB

Financial Data

As per Latest Audited Financial Statement

1	Current Assets	
2	Current Liabilities	
3	Working Capital (1-2)	
4	Value of Outstanding work in hand	
5	Line of Credit **	
*6	Available Liquid Asset {3 - (0.1) x 4+5}	

* This amount shall be not less than the amount given in clause 4.4 of ITB

** Line of credit if provided shall strictly be as per the form given in Section -9. (Attach as annex 07)

Note : Available Working Capital of bidder should be equal or greater than 50% of minimum amount of the Liquid Asset (i.e. Rs. 7.5 million). Line of Credit shall be provided only to satisfy the balance amount of the required amount of the Liquid Asset.

Similar Work Experience, Construction Equipment Proposed and Qualification & Experience of Key staff

Similar work completed in last 05 years	Value		
(Attach LOA, Completion Certificate,	Year		
documents to confirming similarity of work)	Employer		
	Completed Date		
	Description of work		
	(Attach as annex-08)		
Major Items of Construction Equipment Proposed	1. TypeCapacity		
(Attach as annex-09)	2. TypeCapacity		
	3. TypeCapacity		
	4. TypeCapacity		
	5. TypeCapacity		
Qualification and Experience of Key staff to be	Technical		
attached to the project	1.		
Attach details of key personal CVs. Separately,	2.		
proposed to be at site for supervision.	3.		
	Managerial		
(Attach as annex-10)	1		
	2		
	3		

Details of Sub-Contractors

Section of work	Approximate value	Name(s) & Address (es) of sub-contractors	Description & location of similar works previously executed

Personnel Data		
Name of Institution		
Address		
Telephone		
Facsimile		
Email address		

Road Development Authority and its authorized representatives are hereby authorized to conduct any inquiries or investigations to verify the statements, documents, and information submitted in this connection and to seek clarification from our banks, any other agency or our clients regarding any financial and technical aspects.

Signature of the Bidder.....

Date

Section - 5

Bidding Data and Contract Data

BIDDING DATA

Clause 1, Scope of Bid

Clause 1.1

a) The Employer is the Road Development Authority established by the Act No.73 of 1981.

b) Address of the Employer is: Director General, Road Development Authority

1st Floor, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla. Telephone: 0112862795, Fax: 0112872272 E-mail: gmo@ rda.gov.lk

The Scope of the Work is **to** Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge.

The work consists of construction of MadaArawa Bridge, construction of Kehelwathupitiya Bridge and construction of Illagolla Bridge.

The Site is located at Walapane Electrate in Nuwara Eliya district.

Clause 1.2

Time for completion is 210 **Days** from the Start Date:

Clause 1.3

- a) The Bidding Documents shall be inspected from Additional Secretary (Engineering), Ministry of Highways, 7th Floor, "Maganeguma Mahamedura", Denzil Kobbekaduwa Mawatha, Battaramulla or from Provincial Director (Central), Road Development Authority, Kandy from 06/12/2021 to 22/12/2021
- b) The non-refundable tender fee is **Rs. 6500/-** can be paid by depositing cash to the following account
 - a. Account nameb. Account numberc) Secretary Ministry of Highwaysc) 0007040370
 - c. Bank Name : Bank of Ceylon- Battaramulla.
- c) The Bidding Documents shall be collected during working hours from 09.00 Hrs to 15.00 Hrs from the office of the Additional Secretary (Engineering), Ministry of Highways, 7th Floor, "Maganeguma Mahamedura", Denzil Kobbekaduwa Mawatha, Battaramulla or Provincial Director (Central), Road Development Authority, Kandy from 06/12/2021 until 22/12/2021.

Clause 2, Source of Funds

Clause 2.1 Funded by Government of Sri Lanka (GOSL)

Clause 3, Ethics, Fraud and Corruption

Add a new sub-Clause 3.3

Clause 3.3

A misrepresentation or omission of facts in order to influence the procurement process shall make the Bid non-responsive and if detected after the award the bidder could be subjected to legal prosecution.

Clause 4, Qualification of the Bidder

Clause 4.2

The bidder shall be currently registered with the Institute for Construction Industry Development Authority (CIDA) in C5 & C4 grades in Highway/ Bridges specialty.

Clause 4.3 Bidder shall provide in:

• CIDA registration particulars

Registration number Specialty & Grade Expiry Date

- VAT registration number.
- Legal status of the bidder (sole proprietor, Partnership, Company etc.)
- Authentication for signatory (written Power of Attorney)
- Audited Financial Statement for latest five years
- Evidence of adequacy of working capital for this contract (liquid assets & other)
- Experience in a work of similar <u>nature and size</u> in the last ten years
- Work in hand and expected completion date
- Qualification and experience of key site management and technical personnel proposed for the Contract
- Major items of construction equipment proposed to carry out the Contract
- Authority to seek references from the bidder's bankers;
- Total monetary Value of construction work performed for each of the last five years.
- The Method statement of the way the bidders proposed to carryout the work
- Construction Program with critical path and cash flow forecast.
- A description and value of work, which the bidder proposes to sub-contract, together with the name and address of the proposed sub-contractors

Clause 4.4

- Average annual volume of construction work performed during the last five years shall be at least **Rs. 47 million**
- Annual Average Construction Turnover (AACT) is calculated as follows,

AACT = $\sum ACTn$ where, n= 1st5th year (last five years) 5

ACTn - Annual Construction Turnover of nth year (from the audited financial report)

• The bidder should have, experience in the construction of at least one contract of a nature and complexity equivalent to the Works over the last 10 years (to comply with this requirement, works cited should be at least 70% completed), the value of which should be at least **Rs. 21** million.

Experience of subcontractors in respect of "Contract of similar size and nature" shall be accepted, only if the reference sub- contract was approved by the Employer. Also such bidder shall submit the sub –contracting agreement along with the Completion Certificate issued by the main contractor and an approval letter issued by the Employer confirming the sub-contracting arrangement. Any bids that, not complying with this requirement shall be rejected.

• Liquid Assets and / or credit facilities required

Minimum Liquid Assets Available is calculated as follows:

X = (A - L) - 0.1 W + C where;

- X = Minimum Liquid Assets available
- A = Current Assets as given in the latest audited financial statements
- L = Current Liabilities as given in the latest audited financial statements
- W = Outstanding contractual commitments as supported by an affidavit as per Form given in Section 9
- C = A project specific revolving line of credit given by a bank used by Form given in Section 9

Note : Available Working Capital of bidder should be equal or greater than 50% of minimum amount of the Liquid Asset (i.e. Rs. 7.5 million). Line of Credit shall be provided only to satisfy the balance amount of the required amount of the Liquid Asset.

Any Bidder who does not have the minimum liquid assets calculated on the above basis, required under Clause 4.4 shall be treated as non responsive.

Any bid which has to be supported by a project specific revolving line of credit, to meet the requirement of the Clause 4.4 but does not provide it strictly according to Form given in Section 9 shall be treated as non responsive.

The bidder shall submit an affidavit that he has declared all his other contractual commitments – specimen form attached in Section 9. But does not provide all current contract commitment shall be treated as non responsive according to the clause 3.3 of ITB No Conditional Line of Credit will be accepted and any letter of line of credit which has deviated from the specimen format, shall be considered as non responsive.

C. PREPARATION OF BID

Clause 9.1 Employer's address for the purpose of clarification is:

Additional Secretary (Engineering), Ministry of Highways, 7th Floor, "Maganeguma Mahamedura", Denzil Kobbekaduwa Mawatha, Battaramulla T: 011 – 2868703, Fax No. 011 – 2864958

b. Provincial Director (Central), Road Development Authority, Kandy T.P.No : 081-2237931

Clause 11.1 The language of the Bid shall be English.

Clause 13.3

The bid price shall include Physical Contingency, Price contingency and Provisional sums.

VAT component shall not be included in the rates. The amount written in the Form of Bid shall be without VAT. However VAT component shall be shown separately at the end of the BOQ.

Clause 13.4

The Contract is **<u>subjected</u>** to price adjustment in accordance with Clause 47 of the Conditions of Contract.

Clause 15.1

The bid shall be valid up to **91days from closing of Bid. Clause 16.1** Bid shall include a Bid Security using the form included in Section 9.

Clause 16.2

Bid Security shall be:

- For an amount of **Rs. 450,000/-**
- Valid until 28 Days beyond the validity of the Bid
- Issued by an agency acceptable to the Employer using the form for bid security (unconditional guarantee) included in Section 9 Standard Forms.
- Any bond or security issued by ABC Insurance Company Limited is not acceptable.

Clause 17.0

Pre-bid meeting will be held at the office of the Provincial Director (Central), Road Development Authority, Kandy (T.P.No: 081-2232119, Fax No. 081-2237931) at 10.00 a.m. on **17/12/2021** Site visit will be arranged if necessary.

D: SUBMISSION OF BID

Clause 19.2 (a)

The Employer's Address for the purpose of bid submission is -

Chairman, Ministry Procurement Committee

C/o Additional Secretary (Engineering), Ministry of Highways,

7th Floor, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla

Clause 19.2 (b) the name of the Contract is 'Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge', UNDER Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33 Clause 20.1

The deadline for submission of bids shall be 14.00 hrs. on 23/12/2021.

E: BID OPENING AND EVALUATION

Add new Clause **Clause 29.6** Bid opening to be done soon after the closing of bids.

To ensure that the bids are not unrealistic, following criteria shall be adopted;

- (a) If the bid value is 11% to 19% less than the engineer's estimate, the Performance bond should be increased by 5%.
- (b) If the bid value is 20% to 29% less than the engineer's estimate, the Performance bond should be increased by 10%.
- (c) If the bid value is 30% or higher percentage less than the engineer's estimate, the bid will be rejected.

Add new Clause

Clause 29.7 State Owned Enterprises Preferences

Considering the role of the State Owned Enterprises (SOE), when such SOE submits a bid for a contract on competitive basis then such SOE will be given a 5 percent preference over all other contractors. This will be considered only when the Financial Evaluation and not in Technical Evaluation.

F: AWARD OF CONTRACT

Clause 34.1

The Standard Form of Performance Security acceptable to the Employer shall be a Bank Guarantee from a reputed Bank operating in Sri Lanka and accepted by the Treasury for issue of Guarantees or CGF. The amount of Performance Security is 5% (Five percent) of the Initial Contract Price subjected to Public Finance Circular no. 03/2020 (i) (paragraph 3.1.V) dated 11.01.2021. The Format of the Performance security shall be strictly in accordance with the specific format given in Standard Forms Section 2. Any bond or security issued by Insurance Company Limited is not acceptable

Clause 36

The Adjudicator proposed by the Employer is a member to be appointed by the Institution of Engineers, Sri Lanka (IESL)

Fees and types of reimbursable expenses to be paid to the Adjudicator shall be on a case-to-case basis and shall be shared equally by the Contractor and the Employer.

CONTRACT DATA

1.1 The Employer is the Road Development Authority established by the Act No 73 of 1981.
 Address: Road Development Authority, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla.

a. Name of Representative of the Employer is Provincial Director (Central), Road Development Authority, Kandy.

- 1.1 The Engineer for the Contract is Central Engineering Consultancy Bureau (CECB) Address: NO- 415, Bauddaloka Mawatha Colombo - 7 Engineer's Representative: Will be notified later
- 1.1 The Work consists of Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge . The scope of the work is Construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge

1.2 The Start Date shall be 14 calendar days from the receipt of the Letter of Acceptance.

- 8.1 Schedule of other Contractors: Public Utility Agencies
- 9.1 Schedule of Key Personnel: (Directly involved in the project)

Minimum persons with qualifications and experience to be defined,

a.	Technical	Project Manager with B.Sc Civil Eng. & 5 years working experience in similar Nature.
b.	Contract Administration	Technical Supervisors with 5 years' experience, Quantity Surveyor with 3 years working experience

- 13.1 The minimum insurance covers shall be:
 - The minimum cover for insurance of the Works, Temporary Works and of Plant and Materials is 110% of the Initial Contract price.
 - The minimum for insurance of other property is Rs. 1 Million per occurrence with the third party, number of occurrences unlimited.

The minimum cover for personal injury or death,

- For the Contractor's workmen is Rs. 400,000/= per event
- Contractor's employees other than workmen is Rs. 550,000/= per event
- For third party and employees of the Employer and other persons engaged by the Employer is Rs. 550,000/= per event

For all the above the number of occurrence shall unlimited. The insurance cover shall be valid from the Start Date to the end of the Defects Liability Period.

- 14.1 Information from the Site investigation, if so applicable and available, is shown on the Drawings.
- 17.1 The Intended Completion Date for the whole of Works shall be **210 Days** from the Start Date.
- 21.1 The Site Possession Date shall be within <u>07</u> Calendar days from the date of Letter of Acceptance.

- 27.1 The Contractor shall submit a Programme for the Works within <u>28</u> Calendar days of the Letter of Acceptance.
 Contractor shall work only during normal working days unless otherwise agreed with the Engineer or in unusual circumstances where the safety of the public or work is in jeopardy. Holidays declared by the RDA shall be treated as non-working days.
- 27.3 One Month.
- 27.4 2% of the Initial Contract Price in Rupees.
- 35.1 Add with the following, The Defects Notification Period is 1 Year.
- 39.2 Engineer may order variations up to a total cumulative value of not exceeding the contingencies provided in the priced BOQ.
- 43.1 Replace the second sentence of Clause 43.1 "The Employer shall pay **56** date of each certificate" with the following.

"The Employer shall pay the Contractor the amounts certified by the Engineer within 28 days of the date of each certificate.

47.1 Contract Price is subject to price adjustment.

Input proportions (Px Values) shall be computed by the contractor by using the ICTAD document for preparing Px values, before end of first month and submit engineer for approval. Only the approved Px values shall be used for calculating Price Adjustments.

Non-adjustable elements shall be:

Bill No.1 – Item 1.1– 1.14 Bill No.2 – Item A.1.2, A.1.8, A.1.9, A.2.3, A.2.4 Bill No.3 - Item C.8 Bill No.4 – All Day Work items

Non- adjustable items are Bill no.01, Day works. Lump sum items and provisional sum items.

48.1 The retention from each payment shall be 10% percent of the certified work done.

The limit of retention shall be 5 % of the Initial Contract Price.

49.1 The liquidated damages for the whole of the Works shall be **<u>Rs. 15,000/-</u>** per Day.

The maximum amount of Liquidated Damages for the whole of the works shall be 10% (ten percent) of the Initial Contract Price.

51.1 Replace the Sub-clause 51.1 with the following: -

'The Employer shall make advance payment to the Contractor in an amount equivalent to 20% of the Initial Contract Price less contingencies less Provisional Sums within 14 Days after furnishing of an unconditional guarantee in a form and by a bank acceptable to the Employer or from the Construction Guarantee Fund. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest will not be charged on the advance payment.

Advance Payment would be made in two equal instalments. The second Instalment would be paid only after establishing that the first instalment of the advance payment has been used exclusively for mobilization as per Cl. 51.2 and submission and approval of detailed construction programme with network analysis and resource scheduling.

Any bond or security issued by Insurance Company is not acceptable.

52.1 The Performance Security shall be 5% percent of the Initial Contract Price (subjected to Public Finance Circular no. 03/2020 (i) (paragraph 3.1.V)) and shall be issued by a Bank or CGF acceptable to the Employer.

Any bond or security issued by Insurance Company Limited is not acceptable.

- 58.1 As-Built Drawings shall be submitted to the Engineer within one month after the issuing of Certificate of Completion.Add the annexure of additional requirements pertaining to the as built drawings to this sub clause
- 60.1 The percentage to apply to the value of the work not completed, representing the Employer's additional cost for completing the Works, is 25%
- 63 Clauses 63.2(b), 63.4, 63.5, 63.6 and 63.7 are not applicable.
- 63.3 Replace the text of Clause 63.3 with the following text: "The total sum paid to the Contractor shall include such amounts, for the work, supplies or services to plus an administrative charge of 10% on the invoiced cost will be paid to the Contractor for Provisional Sum of the Bill of Quantities."

120 AS BUILT DRAWINGS

120.1 Description

The work shall consists of preparation of As Built Drawings necessary for performance of the completion of the work covered by the Contract, the Contractor shall supply them by the dates stated in the Contract Data. The Contractor shall retain, at his sole expense, a qualified engineer for appropriate on site construction inspections to ensure that all improvements as set forth required, pursuant to RDA standards and specification, and as-built shall be provided. The contractor shall certify, in writing, to the Engineer that the improvements were done in compliance with the approved plan or agreement pursuant to RDA Standards & Specifications and as-built shall be provided.

Field managed record drawings should be provided to the Engineer with indicating additions and deletions for approval before preparation of the final as-built Drawings.

The following requirements shall be applied to each as-built drawing developed for the project and a hard copy together with an electronic AutoCAD drawing file format on CD shall submit for the Engineer.

120.2 Construction Requirement

The following items shall be required for all "As-Built Drawings.

- (a) All as-built for projects are required to be on 24" x 36" or similar size of construction drawings and shall bear the name and address, of the person who preparing the drawings and the date the as-built data is added to the original via the revision block. Electronic Auto CAD drawing files, based on the GPS coordinate, are also required (if the construction drawings are prepared based on GPS coordinates). Surveyor's/Engineer's statement (with embossed or wet seal and with an original signature on each sheet) shall verify that as-built drawings reflect the true conditions in the field.
- (b) Contractor's statement (with an original signature on each sheet) shall verify that all construction specifications and product qualities have been met or exceeded.
- (c) "AS BUILT DRAWINGS" of "RECORD DRAWING" shall be clearly labelled on each sheet.
- (d) If the details of under-ground service lines (Water, Sewerage, ducts &etc) are available needs to be included to the as-built drawings on the approval of Engineer
- (e) The location and elevation of the benchmark referenced will be shown on the drawing. If the reference benchmark is within the project, then a complete description of its location will be provided to assist in future locating.
- (f) Survey data, relative to the GPS coordinate grid, on right-of-way monuments installed or encountered within the project
- (g) Note any changes to the alignment either vertically or horizontally of curb & gutter sidewalk, pavers or any other surface improvement.

120.3 Measurement & Payments

No payment shall pay for the preparation of as built drawings. If the Contractor does not supply the As Built Drawings by the dates stated in the contract data, or they do not receive the Engineer's approval, the Engineer shall withhold the release of Final payment of the Contract.

Section - 6

Specifications

Standard Specification Particular Specification

STANDARD SPECIFICATIONS

The Standard Specifications comprise 'Standard Specifications for Construction and Maintenance of Roads and Bridges' issued under the authority of the Director General of the Road Development Authority and published by the Institute of Construction Training and Development.

The ICTAD Publication No. of this publication is SCA/5. Second Edition Published in June 2009

Bidders who are not in possession of this publication can purchase it from the ICTAD.

PARTICULAR SPECIFICATIONS

These Particular Specifications should be read in conjunction with the Standard Specifications for Construction and Maintenance of Roads and Bridges, ICTAD Publication No SCA/5, which are applicable in all cases not covered herein.

The Particular Specifications for some sections of the works are comprehensive and cover the full extent of the works in these sections. In other sections they apply in conjunction with the Standard Specifications. Finally in some sections not covered in the Particular Specifications, the Standard Specifications shall apply in full.

Where there is an ambiguity or discrepancy between the Particular Specifications and the Standard Specifications, the Particular Specifications shall prevail.

Section-7

Bill of Quantities

BILL OF QUANTITIES

PREAMBLE

- 1. The Bill of Quantities shall be read in conjunction with all other bidding documents.
- 2. General directions and descriptions of work or materials given elsewhere in the bidding Documents are not necessarily repeated in the Bills of Quantities. For the full meaning of each Item, reference should be made to the applicable passages in the bidding Documents.
- 3. The prices and rates entered by the Contractor in the Bill of Quantities shall be deemed to cover the complete and finished works in the final position as required by the bidding Documents, including, inter alia, all costs and expenses which may be required in and for the construction and maintenance of the works, together with all risks, liabilities, contingencies, insurance, sampling, testing, providing all necessary assistance to the Engineer and in general all obligations imposed or implied by the contract.
- 4. Without affecting the generality of the foregoing provisions the prices and rates entered by the contractor in the Bills of Quantities shall also include, inter alia, all costs and expenses involved with or arising from the following:
 - i The provision, storage, transport, handling, use, distribution and maintenance of all materials, plant, equipment, machinery and tools, including all costs, charges, dues demurrage or other outlays involved in carriage and importation.
 - ii The provision and maintenance of all staff and labour and their payment, accommodation, transport, fares and other requirements.
 - iii Setting out, including the location, construction and preservation of survey markers, measurement and supervision.
 - iv The provision, storage, transport, use, handling, distribution and maintenance of all consumable stores fuel, water and electricity including the requirements of the Engineer's Representative and his staff.
 - v The location, test proving, opening, operation, reinstatement of all quarries and borrow pits, as well as compensation and mining royalties costs associated with quarries and borrow pits or any other land the contractor may require additional to that provided free for the execution of the permanent works.
 - vi Sampling, the transport of samples, testing, the carrying out of trial sections of earthworks or payment and the checking of all information given by the Engineer.
 - vii Injury caused to the Works under Construction, Plant, Materials and consumable stores by weather.
 - viii Repairs to the Works either prior to or during the Period of maintenance.
 - ix Maintenance work as detailed in the Specifications and the Conditions of Contract and the maintenance of public amenities.
 - x Co-ordination with other Contractors or Authorities carrying out work either in connection with or adjacent to the Works.
 - xi The supply of manufacturers test certificates.

- xii The protection of mains and services, and cost of repairs in case of damage caused by the Contractor.
- xiii Pumping and dewatering; the protection of excavation faces.
- xiv The provision and maintenance of temporary diversions in order that through traffic flow shall remain unobstructed through the contract period and in general the provision of all temporary works required in connection with the works.
- xv Insurance, custom duties, taxes(excluding VAT) levies, first aid, welfare and safety requirements and all other overheads and costs and profit.
- 5. A price or rate shall be entered against each Item in the Bills of Quantities whether quantities are stated or not. Item against which no price or rate is entered shall be deemed to be covered by the other prices or rates entered by the Contractor in the Bill of Quantities. The unit price or rate entered against any Item shall take Precedence over any miscalculation in the total sum against that Item. Where separate items have not been provided in the Bill of Quantities for work shall be deemed to have been included in the other prices and rates.
- 6. The Quantities given in the Bill of Quantities are estimated only and are given to provide a basis for the tender. No guarantee is given for their accuracy and payments to Contractor will be based on the prices and rates quoted in the bills applied to measured quantities for work done.

The quantity for each Item of work executed by the Contractor in accordance with the Contract shall be measured net and no allowance will be made for waste, bulking, shrinkage decrease of volume due to compaction or the provision of working space.

- 7. The items in the Bills of Quantities are the general application to the whole of the works at any location on site or any part of the works as indicated in the bid documents or instructed by the Engineer's representative.
- 8. Tenders, which group several items together in the Bill of Quantities under one price, will not be accepted.

9.	The Units of measurement described in the Bill of Quantities are Metric Units. Abbreviations in the
	Bill of Quantities are as follows: -

Diff of Qualitities are as follo	Jws	
hrs	-	Hours
km	-	Kilometre
m	-	Linear Metre
m ² or sqm	-	Square Metre
m ³ or cum	-	Cubic Metre
nos.	-	Numbers
L.S	-	Lump Sum
P.S	-	Provisional Sum
mth.	-	Month
ltr.	-	Litre
kg.	-	Kilogramme
mt	-	Metric Tonne
mm.	-	Millimetre
wk.	-	Week

DAY WORKS

- 1. The rates entered in the Schedule for Bill of Quantities shall form day works items for pricing extra work ordered to be done in accordance with the Contract.
- 2. The rates shall include all overheads and profit and all other costs of whatever nature necessary for and incidental to the performance of extra work whenever ordered and these rates required anywhere on the Site for the operation of plant the provision of labour or the provision of materials and shall be deemed to include inter alia:
 - Plant Operation, maintenance, repairs, fuel, oils grease, hydraulic fluids, taxes, duties operator's wages and overtime, travelling time, transport supervision, administration costs related to the use of such plant.
 - Labour Wages, overtime, bonuses, travelling time, hand tools, accommodation, fringe benefits, transport and supervision.
 - Materials Provision, transport, handling, wastage and storage

In the case of Plant and labour, only time spent working shall be paid for.

For Day works required outside the Site (which for these purposes shall mean all areas shown on the plans for permanent works and all areas of temporary works such as Contractor's and Engineer's camps, quarry, borrow pits and their access roads, diversion roads etc.), the following should be chargeable :

Plant:	Self travelling: Actual travel time of and to place of stationing on the day of the work.
Transport:	Travelling time of the places of transport (lorry, low loader etc.)
Labour:	Travel time for the means of transport used.
Materials:	Travelling time for the means of transport used.

The rates shall apply only to such work, as the Engineer shall instruct in writing to be carried out as day works. All items should be priced.

Summary of Bill of Quantity

D							
Province	Centeral						
District	Nuwara Eliya						
Co	nstruction of MadaArawa Bridge, Kehelwathupitiya Br	idge and Illagolla Bridge					
	RDA/Central/N. Eliya/Hangu/GSP/CEC awa Bridge athupitiya Bridge Bridge	CB/33					
Bill No	Description	Amounts / Rs.					
	1.Common Preliminaries For the whole Package						
	Sub Total 01						
	2.MadaArawa Bridge						
Bill No1	Preliminary & General						
Bill No 2	Site Clearing						
Bill No 3	Construction of Approach Road						
Bill No 4	Construction of Bridge Sub-Structure						
Bill No 5	Construction of Bridge Super-Structure						
Bill No 6	Miscellaneous						
Bill No 7	Day works						
	Sub Total 02						
	3.Kehelwathupitiya Bridge						
Bill No1	Preliminary & General						
Bill No 2	Site Clearing						
Bill No 3	Construction of Approach Road						
Bill No 4	Construction of Bridge Sub-Structure						
Bill No 5	Construction of Bridge Super-Structure						
Bill No 6	Miscellaneous						
Bill No 7	Day works						
	Sub Total 03						
	4.Illagolla Bridge						
Bill No1	Preliminary & General						
Bill No 2	Site Clearing						
Bill No 3	Construction of Approach Road						
Bill No 4	Construction of Bridge Sub-Structure						
Bill No 5	Construction of Bridge Super-Structure						
Bill No 6	Miscellaneous						
Bill No 7	Day works						
	Sub Total 04						
Α	Sub Total-01 (Sub Total 01+02+03+04)						
В	Total of Provisional sums	851,120.					

С	Sub Total	-02 without Provisional sums (A-B)	
D	Discount if any	Amount in words	Amount in figures	
E	Sub Tota	03 (C-D)		
F	Sub Total	04 with provisional sums (B + E)		
G	Allow for	Physical Contingencies 10% (10% of	f F)	
Н	Allow for	Price Contingencies 4% (4% of F)		
Ι	Bid Price	(F+G+H) without VAT		

Amount in words: ______

Name of the Bidder: _____

Signature :

Rubber Stamp:

Date:

1. Common Preliminaries for the whole Package

Bill No	Bill No -01 Prelimanaries and General									
ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AM RS.	OUNT Cts.		
1.2	LS2	119(1)	Provide all necessary Insurance	LS	Item	Allow				
1.3	LS3	119(2)	Provide all necessary Bond Securities	LS	Item	Allow				
SUB TO	TAL -01	Prelimin	aries Common for the Package							

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
BILL N	O - 01 PR	ELIMINA	RY AND GENERAL			I	
1.1	LS1	P-001	Allow for Mobilization and Demobilization of Contractors facilities,plant and equipment	LS	Item	Allow	
1.4	LS4	P-002	Allow sum for Environmental monitoring and mitigation work	LS	Item	Allow	
1.5	LS5	302(10)	Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal	LS	Item	Allow	
1.6	LS6	302(11)	Allow sum for Dewatering	LS	Item	Allow	
1.12	PS6	P-004	Allow sum for Surveying, Investigation & Design (Preparation of Shop Drawings)	PS	Item	Allow	154,000.00
1.13	PS7	P-004A	Allow sum for Trees Plantation & maintainance	PS	Item	Allow	4,780.00
1.15			Access road needed to be repaired in prior to commence the constructions	PS	Item	Allow	200,000.00
			PRELIMINARY AND GENE	RAL			
2.1	RA-01	TE CLEAR	Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps	Sq.m	150.00		
SUB TO) DTAL BII	LL NO - 02	SITE CLEARING				
BILL N	O - 03 CO	NSTRUCT	TON OF APPROCH ROAD				L
3.1	RA-06	301(1)	EARTH WORKS Roadway excavation,soil suitable	Cu.m	15.00		
			for fill roadway excavation				
3.2	RA-07	301(1)a	Roadway excavation,soft soil	Cu.m	7.50		
3.4	RA-09	301(8)	Roadway excavation,hard rock (Using explosive)	Cu.m	50.00		
3.5	RA-10	P-005	Roadway excavation,hard rock using Chemical	Cu.m	20.00		
3.7	RA-12	304 (1) b	Embankment construction using material from roadway excavation Type I materials	Cu.m	28.50		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
3.8	RA-13	304 (2) b	Embankment construction using barrow material Type I materials	Cu.m	15.25		
3.10	RA-14	304(3)	Trimming, levelling and compaction of original ground	Sq.m	150.00		
3.11	RA-15	304(6)	Embankment construction using Rock fill	Cu.m	100.00		
3.12	RA-16	304(4)	Provide and place Geofabric CONCRETE	Sq.m	100.00		
3.22	RA-26	901B(1)	SURFACINGSupply, laying & compacting Grade 30Concrete layer including FormworkGUARDSTONE FIXING	Cu.m	26.25		
3.25	RA-97	808(5)	Supply & fixing Guardstones	Nos.	12.00		
SUB TO	TAL BI	LL NO -03 (CONSTRUCTION OF APPR	OCH RO	AD		
BILL N	O - 04 CO	DNSTRUCI	TION OF BRIDGE SUBSTRU	JCTURE	, ,		
4. A			CONSTRUCTION OF ABUTMENT & WING WALLS				
			FOUNDATION,SUB STRUCTURE & CAPPING BEAM				
4.A.1	RA-29	302(1)	Excavation for structures, soil suitable for backfill	Cu.m.	6.70		
4.A.2	RA-30	302(2)	Excavation for structures, Soft rock	Cu.m	1.34		
4.A.4	RA-32	302(4b)	Excavation for structures, Hard rock (Using Explosive)	Cu.m	0.68		
4.A.5	RA-33	302(5)	Excavation for structures, unsuitable soil	Cu.m	57.00		
4.A.6	RA-34	302(5a)	Excavation for structures, Marshy material	Cu.m	1.34		
4.A.7	RA-35	302(8)	Granular Backfill for Structures	Cu.m	68.32		
4 4 1 1	D 4 20	1001/2 \	Concrete for Structure		17.60		
4.A.11	RA-39	1001(3a)	Concrete grade15(19 mm) as screed in foundation	Cu.m.	17.68		
4.A.12	RA-41	1001 (2)	Concrete of grade 20 (40mm) in abutment , wing wall (Mass Concrete wall)	Cu.m.	89.72		
4.A.14	RA-43	1001 (1)	Concrete of grade 25 (20mm) in abutment , wing wall Base (Mass Concrete)	Cu.m.	28.20		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
4.A.17	RA-46	1001 (1)	Concrete of grade25(19mm) in Capping beams,ballast wall and curtain walls in Mass concrete Abutment	Cu.m.	35.38		
			Formwork				
4.A.20	RA-49	1008(2)	Rough finish formwork for abutments & Wing walls Base	Sq.m	31.17		
4.A.22	RA-51	1008(1)	Smooth finish formwork for abutment, wing walls, capping beams,ballast wall and curtain wall Reinforcement	Sq.m	309.24		
4.A.24	RA-53	1002(1)	Fabricating & laying tor steel r/f for abutments,wing walls, capping beams,ballast wall and curtain wall	Tonnes	3.42		
			Weep holes				
4.A.27	RA-56	706(1)	Forming weep holes using type 400 PVC pipe of internal dia. Not less than 110mm	L.m	46.00		
			Drainage & Backfilling				
4.A.28	RA-57	705(1)	Backfill using aggregate 50~200mm for dry stone lining behind abutment & wing walls	Cu.m	39.32		
4.A.29	RA-58	705(2)	Filter medium using aggregate 37.5mm behind abutment and wing walls	Cu.m	5.60		
4.A.30	RA-59	705(3)	Clay puddle laid under the porous backfill, behind abutment and wing wall	Sq.m	15.00		
4.B			CONSTRUCTION OF PEIRS				
			FOUNDATION,SUB STRUCTURE & CAPPING BEAM				
4.B.1	RA-29	302(1)	Excavation for structures, soil suitable for backfill	Cu.m.	3.30		
4.B.2	RA-30	302(2)	Excavation for structures, Soft rock	Cu.m	0.66		
4.B.3	RA-32	302(4b)	Excavation for structures, Hard rock (Using Explosive)	Cu.m	0.33		
4.B.4	RA-33	302(5)	Excavation for structures, unsuitable soil	Cu.m	28.05		
4.B.5	RA-34	302(5a)	Excavation for structures, Marshy material	Cu.m	0.66		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
			Concrete for Structure				
4.B.6	RA-39	1001(3a)	Concrete grade15(19 mm) as screed in foundation	Cu.m.	1.24		
4.B.17	RA-44	1001 (1)	Concrete of grade 30(19mm) in Foundation base,Stem, Capping beams and curtain walls	Cu.m.	30.83		
			Formwork				
4.B.8	RA-49	1008(2)	Rough finish formwork for Peir Foundation	Sq.m	13.60		
4.B.9	RA-51	1008(1)	Smooth finish formwork for Peir Stem and curtain wall	Sq.m	43.48		
			Reinforcement				
4.B.10	RA-53	1002(1)	Fabricating & laying tor steel r/f for	Tonnes	4.32		
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			Base,Stem and curtain wall	~_			
	)TAL BII RUCTUR		CONSTRUCTION OF BRID	GE			
			ER STRUCTURE CONSTRU	ICTION			1
5.2			Concrete PSC Beam Superstructure				
5.2.2	RA-96	1001 (1)	Class A concrete of grade 25(19mm) in Footwalk	Cu.m	4.54		
			Form work				
5.2.19	RA-80	1008(1b)	Smooth finish form work for deck slab.	Sq.m	30.51		
			Reinforcements				
5.2.20	RA-81	1002(1a)	Fabricating & laying Tor steel reinforcement	Tonnes	0.18		
5.3			Concrete Deck Slab				
			Concrete				
5.3.1	RA-96	1001 (1)	Class A Concrete G25 (19mm) in deck slab & Parapet wall	Cu.m.	34.16		
	D 1 11	1000(1)	Formwork	~	0		
5.3.2	RA-61	1008(1)	Smooth finish formwork for sides of deck slab & Parapet wall	Sq.m	87.18		
		1000	Reinforcement				
5.3.3	RA-62	1002 (1)b	Fabricating, laying & tying of tor steel r/f.	Tonnes	3.42		
5.4			Miscellaneous				
5.4.4	RA- 90a	1020(1b)	Supplying & fixing 50 mm dia. Type 400 PVC pipes as rain water outlets through deck as per drawing.	L.m	3.84		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
5.4.7	RA-97	1303(3)	Painting Bridge hand rail with weather shield Emulsion Paint Two coats	Sq.m.	46.04		
5.4.8	RA-98	1303(4)	Stenciling and Numbering on Bridges	Nos	2.00		

#### 2 .Mada Arawa Bridge

BILL N	O - 07 DAY WORKS				
ITEM NO	DESCRIPTION UNIT Q		QTY	RATE	AMOUNT RS. Cts.
7.1	Labour				
7.1.1	Unskilled labour	Day	5.00		
7.1.2	Semi skilled labour	Day	5.00		
7.1.3	Skilled labour	Day	5.00		
7.1.4	Operators	Day	5.00		
	Total cost of Labour				
7.2	Equipment				
7.2.1	Backhoe loader - 2WD, 0.15 scoop capacity	Hrs	5.00		
7.2.2	Farm Tractor with 3T trailer	Hrs	10.00		
7.2.3	Water Bowser - 6000 ltrs	Hrs	10.00		
7.2.4	Concrete Mixer - 200ltrs (10/7)	Hrs	10.00		
7.2.5	Water pump - 2 inch	Hrs	25.00		
7.2.6	Porker vibrator (Petrol) - 1.8m.hour	Hrs	5.00		
7.2.7	Lorry 3 Ton - 3Ton	Km	50.00		
7.2.8	Plate Compactor - 80kg tamper plates	Hrs	10.00		
7.2.9	Excavator	Hrs	5.00		
	Total cost of Equipment				
7.3	Materials				
7.3.1	Cement - Ordinary	50kg	5.00		
7.3.2	Aggregate for concrete (19mm)	Cu.m.	2.00		
7.3.3	Sand	Cu.m.	2.00		
	Total cost of Material				

# Summary of Day works

Description	Amount (Rs.)
1. Labour	
2. Equipment	
3. Material	
Total	

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
BILL N	NO - 01 P	RELIMIN	ARY AND GENERAL				
1.1	LS1	P-001	Allow for Mobilization and Demobilization of Contractors facilities,plant and equipment	LS	Item	Allow	
1.4	LS4	P-002	Allow sum for Environmental monitoring and mitigation work	LS	Item	Allow	
1.5	LS5	302(10)	Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal	LS	Item	Allow	
1.6	LS6	302(11)	Allow sum for Dewatering	LS	Item	Allow	
1.9	PS3	118(1)	Provide & maintain Project Name Board (2 m x 1.0m)	PS	Item	Allow	22,280.00
1.12	PS6	P-004	Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)	PS	Item	Allow	88,000.00
1.13	PS7	P-004A	Allow sum for Trees Plantation & maintainance	PS	Item	Allow	4,780.00
1.15			Access road needed to be repaired in prior to commence the constructions	PS	Item	Allow	200,000.00
			1 PRELIMINARY AND GENER	RAL			
	r	ITE CLEA	1	~	1.50.00		
2.1	RA-01	201 (1)	Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps	Sq.m	150.00		
2.2	RA-02	201(2)	Cutting tress girth 301mm to 600 mm	Nos	1.00		
			2 SITE CLEARING				
BILL N	10 - 03 C	ONSTRUC	CTION OF APPROCH ROAD	Γ		[	
	<b>D</b> + 0.5	201(1)	EARTH WORKS	~	- 00		
3.1	RA-06	301(1)	Roadway excavation,soil suitable for fill roadway excavation	Cu.m	7.00		
3.2	RA-07	301(1)a	Roadway excavation,soft soil	Cu.m	3.50		
3.6	RA-11	301(11)	Roadway excavation, unsuitable	Cu.m	31.50		
3.7	RA-12	304 (1) b	Embankment construction using material from roadway excavation Type I materials	Cu.m	13.30		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
3.8	RA-13	304 (2) b	Embankment construction using barrow material Type I materials	Cu.m	21.70		
3.10	RA-14	304(3)	Trimming, levelling and compaction of original ground <b>CONCRETE SURFACING</b>	Sq.m	150.00		
3.22	RA-26	901B(1)	Supply, laying & compacting Grade 30 Concrete layer including Formwork EMBANKMENT TURFING	Cu.m	10.50		
3.24	RA-28	802(1)	Grassing (Turfing)	Sq.m	50.00		
			GUARDSTONE FIXING				
3.25	RA-97	808(5)	Supply & fixing Guardstones	Nos.	7.00		
SUR TO	) OTAL R	ILL NO -0	3 CONSTRUCTION OF APPRO	)CH BU			
			CTION OF BRIDGE SUBSTRU				
<b>4.</b> A			CONSTRUCTION OF ABUTMENT & WING WALLS				
			FOUNDATION,SUB STRUCTURE & CAPPING BEAM				
4.A.1	RA-29	302(1)	Excavation for structures, soil suitable for backfill	Cu.m.	9.72		
4.A.2	RA-30	302(2)	Excavation for structures, Soft rock	Cu.m	1.16		
4.A.4	RA-32	302(4b)	Excavation for structures, Hard rock (Using Explosive)	Cu.m	0.23		
4.A.5	RA-33	302(5)	Excavation for structures, unsuitable soil	Cu.m	12.03		
4.A.7	RA-35	302(8)	Granular Backfill for Structures	Cu.m	45.44		
			Concrete for Structure				
4.A.11	RA-39	1001(3a)	Concrete grade15(19 mm) as screed in foundation	Cu.m.	2.50		
4.A.12	RA-41	1001 (2)	Concrete of grade 20 (40mm) in abutment , wing wall ( Mass Concrete wall)	Cu.m.	13.00		
4.A.14	RA-43	1001 (1)	Concrete of grade 25 (20mm) in abutment , wing wall Base ( Mass Concrete)	Cu.m.	4.80		
4.A.16	RA-45	1001 (1)	Concrete of grade 30(19mm) in Foundation base,walls,top slab & wing walls in Box Structures	Cu.m.	13.00		
			Formwork				
4.A.20	RA-49	1008(2)	Rough finish formwork for abutments & Wing walls Base	Sq.m	6.96		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
4.A.21	RA-50	1008(2)	Rough finish formwork for Box Structure Base	Sq.m	21.06		
4.A.22	RA-51	1008(1)	Smooth finish formwork for abutment, wing walls, capping beams,ballast wall and curtain wall	Sq.m	36.60		
4.A.23	RA-52	1008(1)	Smooth finish formwork for Box culvert walls, top slab & wing walls	Sq.m	49.14		
			Reinforcement				
4.A.24	RA-53	1002(1)	Fabricating & laying tor steel r/f for abutments,wing walls, capping beams,ballast wall and curtain wall	Tonnes	0.17		
4.A.25	RA-54	1002(1)	Fabricating & laying tor steel r/f for Box Structure & wing walls	Tonnes	1.63		
			Weep holes				
4.A.27	RA-56	706(1)	Forming weep holes using type 400 PVC pipe of internal dia. Not less than 110mm	L.m	3.00		
			Drainage & Backfilling				
4.A.28	RA-57	705(1)	Backfill using aggregate 50~200mm for dry stone lining behind abutment & wing walls	Cu.m	6.79		
4.A.29	RA-58	705(2)	Filter medium using aggregate 37.5mm behind abutment and wing walls	Cu.m	1.16		
4.A.30	RA-59	705(3)	Clay puddle laid under the porous backfill, behind abutment and wing wall	Sq.m	6.00		
SUB TO	OTAL B	ILL NO -0	4 CONSTRUCTION OF BRIDO	Ε			
	RUCTU						
BILLN	10 - 0 <u>5 B</u>	RIDGE SU	<b>JPER STRUCTURE CONSTRU</b>	CTION			
5.2			Concrete PSC Beam Superstructure				
5.2.2	RA-96	1001 (1)	Class A concrete of grade 25(19mm) in Footwalk	Cu.m	1.35		
			Form work				
5.2.19	RA-80	1008(1b)	Smooth finish form work for deck slab.	Sq.m	9.27		
			Reinforcements				
5.2.20	RA-81	1002(1a)	Fabricating & laying Tor steel reinforcement	Tonnes	0.05		
5.4			Miscellaneous				
5.4.4	RA- 90a	1020(1b)	Supplying & fixing 50 mm dia. Type 400 PVC pipes as rain water outlets through deck as per drawing.	L.m	1.14		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
5.4.7	RA-97	1303(3)	Painting Bridge hand rail with weather shield Emulsion Paint Two coats	Sq.m.	14.18		
5.4.8	RA-98	1303(4)	Stenciling and Numbering on Bridges	Nos	2.00		
SUB TO	OTAL B	ILL NO -0	5 BRIDGE SUPER STRUCTUR	E CONS	TRUCTI	ON	

#### 3.Kehelwathupitiyaa Bridge

ITEM NO	<b>DESCRIPTION</b> UNIT	QTY	RATE	AMOUNT RS. Cts.	
7.1	Labour				
7.1.1	Unskilled labour	Day	2.00		
7.1.2	Semi skilled labour	Day	2.00		
7.1.3	Skilled labour	Day	2.00		
7.1.4	Operators	Day	2.00		
	Total cost of Labour				
7.2	Equipment				
7.2.1	Backhoe loader - 2WD, 0.15 scoop capacity	Hrs	1.00		
7.2.2	Farm Tractor with 3T trailer	Hrs	5.00		
7.2.3	Water Bowser - 6000 ltrs	Hrs	2.00		
7.2.4	Concrete Mixer - 200ltrs (10/7)	Hrs	5.00		
7.2.5	Water pump - 2 inch	Hrs	10.00		
7.2.6	Porker vibrator (Petrol) - 1.8m.hour	Hrs	5.00		
7.2.7	Lorry 3 Ton - 3Ton	Km	25.00		
7.2.8	Plate Compactor - 80kg tamper plates	Hrs	2.00		
7.2.9	Excavator	Hrs	2.00		
	Total cost of Equipment				
7.3	Materials				
7.3.1		501	2.00		
7.3.1	Cement - Ordinary	50kg	2.00		
7.3.2	Aggregate for concrete (19mm) Sand	Cu.m.	1.00		
1.3.3		Cu.m.	1.00		
1.5.5	Total cost of Material		1.00		

## Summary of Day works

Description	Amount (Rs.)
1. Labour	
2. Equipment	
3. Material	
Total	

NO       ITEM NO       DESCRIPTION NO       Image: Second secon	AMOUNT	RATE	QTY	UNIT		PAY	RATE	ITEM
1.1       LS1       P-001       Allow for Mobilization and Demobilization of Contractors facilities, plant and equipment and equipment and fugithmental monitoring and mitigation work       LS       Item       Allow         1.4       LS4       P-002       Allow sum for Environmental monitoring and mitigation work       LS       Item       Allow         1.5       LS5       302(10)       Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering LS       LE       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board (2 m x 1.0m)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design (Preparation of Shop Drawings)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Generatus       PS       Item       Allow         SUB TOTAL BIL NO -01 PRELIMINARY AND GENERAL         BILL NO -02 SITE CLEARING         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.1.5m and backfilling/trenches caused by removal of stumps       Nos       1.00       1.00       2.0					DESCRIPTION		NO	NO
Image: second				I	Y AND GENERAL	LIMINAR	O - 01 PRE	BILL N
1.4       LS4       P-002       Allow sum for Environmental monitoring and mitigation work       LS       Item       Allow         1.5       LS5       302(10)       Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering their subsequent removal       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       Item       Allow       Item       Allow         2.1       RA-01       201 (1)       Clearing and grabhing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       Item       Item       Item         2.2       RA-02       201(2)       Cutting tress git		Allow	Item	LS		P-001	LS1	1.1
1.4       LS4       P-002       Allow sum for Environmental monitoring and mitigation work       LS       Item       Allow         1.5       LS5       302(10)       Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       BILL NO -02 SITE CLEARING       100.00       Item       100.00         2.1       RA-01       201 (1)       Clearing and grabbing incoverage depth of 0.15m and backfilling/trenches caused dy removal of stumps       Nos       1.00       Item       100.00         SUB TOTAL BILL NO - 02 SITE CLEARING       EARTH WORKS       Item       60.00 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>								
1.4       LS4       P-002       Allow sum for Environmental monitoring and mitigation work       LS       Item       Allow         1.5       LS5       302(10)       Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering and their subsequent removal       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering and their subsequent removal       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board (2 m x 1.0m)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design (Preparation of Shop Drawings)       PS       Item       Allow         1.112       PS6       P-004       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       PS       Item       Allow         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       1.00       Item       Item       Item         SUB TOTAL BILL NO - 02 SITE CLEARING       EARTH WORKS       0					-			
Intermediation work       Intermediation work       Intermediation work         Intermediation work       Solution       Allow sum for Construction of necessary cofferdams, shoring and bracing and their subsequent removal their subsequent removal their subsequent removal       Intermediation work       Allow         1.6       LS6       302(11)       Allow sum for Dewatering       LS       Item       Allow         1.6       LS6       302(11)       Allow sum for Dewatering       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board       (2 m x 1.0m)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design (Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       BILL NO -02 SITE CLEARING       Item       100.00       Item         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/renches caused by removal of stumps       1.00       Item       100.00         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       1.00		Allow	Item	LS		P-002	LS4	14
1.6       LS6       302(11)       Allow sum for Dewatering and their subsequent removal their subsequent removal       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board (2 m x 1.0m)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design (Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL         BILL NO - 02 SITE CLEARING       Item       Allow         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       1.00       100.00         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos       1.00         Sum to 600 mm         Sum to 304 (2)         Bubankment construction waterial Type I materials         3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground compactio		1			Environmental monitoring	1 002	220 .	
International their subsequent removalLSItemAllow1.6LS6302(11)Allow sum for Dewatering Provide & maintain Project Name Board (2 m x 1.0m)PSItemAllow1.9PS3118(1)Provide & maintain Project Name Board (2 m x 1.0m)PSItemAllow1.12PS6P-004Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)PSItemAllow1.15Access road needed to be repair in prior to commence the constructionsPSItemAllowSUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO -02 SITE CLEARING100.00100.002.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsNos100.002.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGItem1.001.00BILL NO - 03 CONSTRUCTION OF APPROCH ROAD60.001.001.003.8RA-13304 (2)Embankment construction using barrow material Type I materialsCum materials60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.004CONCRETE SURFACINGCONCRETE SURFACING100.00100.00		Allow	Item	LS		302(10)	LS5	1.5
1.6LS6302(11)Allow sum for Dewatering Name Board 1.0mLSItemAllow1.9PS3118(1)Provide & maintain Project Name Board 1.0mPSItemAllow1.12PS6P-004Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)PSItemAllow1.12PS6P-004Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)PSItemAllow1.15Access road needed to be repair in prior to commence the constructionsPSItemAllowSUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO -02 SITE CLEARING2.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsNos1.00Sub TOTAL BILL NO -02 SITE CLEARINGSub TOTAL BILL NO -02 SITE CLEARING2.1RA-01201 (1)Clearing ress girth 301mm to 600 mmNos1.00Sq.mIDU O- 03 CONSTRUCTION OF APPROCH ROADSq.mMathematical science by removal of stumps3.8RA-13304 (2)Embankment construction b barrow material Type I materialsCu.m60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.003.10RA-14304(3)Trimming, levelling and compaction<								
1.6       LS6       302(11)       Allow sum for Dewatering       LS       Item       Allow         1.9       PS3       118(1)       Provide & maintain Project Name Board       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       BILL NO -02 SITE CLEARING       Item       Allow         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       Nos       1.00         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos       1.00         SUB TOTAL BILL NO - 02 SITE CLEARING       Item       Item       60.00       Item         S1.00       EARTH WORKS       60.00       Item       60.00         3.8       RA-13       304(2)       Embankment construction barrow material Type I materials       Sq.m       100.00       Item         3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground								
1.9       PS3       118(1)       Provide & maintain Project Name Board (2 m x 1.0m)       PS       Item       Allow         1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.112       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       BILL NO - 02 SITE CLEARING       Sq.m       100.00       Interview         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       Sq.m       100.00       Interview         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos       1.00       Interview         SUB TOTAL BILL NO - 02 SITE CLEARING       Image: Sign and backfilling/trenches caused by removal of stumps       Nos       1.00       Interview         SUB TOTAL BILL NO - 02 SITE CLEARING       Image: Sign and backfilling/trenches       Image: Sign and backfilling/trenches       Image: Sign and backfilling/trenches       Image: Sign and backfilling/trenches       I		A 11	Tr	IC	· · · · · · · · · · · · · · · · · · ·	202(11)	LCC	1.6
Name Board 1.0m(2 m x 1.0m)Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)PSItemAllow1.12PS6P-004Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)PSItemAllow1.15AAccess road needed to be repair in prior to commence the constructionsPSItemAllowSUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO - 02 SITE CLEARINGVV2.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsSq.m100.002.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGVVVBILL NO - 03 CONSTRUCTION OF APPROCH ROADCu.m60.0060.003.8RA-13 b304 (2)Embankment construction using barrow material Type I materialsCu.m60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00100.00CONCRETE SURFACINGSq.m100.00100.00	22 200 00				· · · · ·	. ,		
1.12       PS6       P-004       Allow sum for Surveying, Investigation & Design ( Preparation of Shop Drawings)       PS       Item       Allow         1.15       Access road needed to be repair in prior to commence the constructions       PS       Item       Allow         SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL       PS       Item       Allow         BILL NO - 02 SITE CLEARING       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       Sq.m       100.00         2.1       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos       1.00         SUB TOTAL BILL NO - 02 SITE CLEARING       EARTH WORKS       60.00       60.00         3.8       RA-13       304 (2)       Embankment construction using barrow material Type I materials       Sq.m       100.00         3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground       Sq.m       100.00	22,280.00	Allow	Item	PS	Name Board (2 m x	118(1)	PS3	1.9
InitialPreparation of Shop Drawings)PSItemAllow1.15Access road needed to be repair in prior to commence the constructionsPSItemAllowSUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO - 02 SITE CLEARINGItemAllow2.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsSq.m100.002.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGItem1.00ItemSUB TOTAL BILL NO - 02 SITE CLEARINGItem60.00ItemSUB TOTAL BILL NO - 02 SITE CLEARINGItemItem60.00SUB TOTAL BILL NO - 02 SITE CLEARINGItemItemItemSUB TOTAL BILL NO - 03 CONSTRUCTION OF APPROCH ROADItem60.00Item3.8RA-13304 (2)Embankment construction using barrow material Type I materialsGoundItem3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00ItemItemCONCRETE SURFACINGItemItemItem	55,000.00	Allow	Item	PS		P-004	PS6	1.12
InitialDrawings)Image: Construction of the construct					Investigation & Design (			
SUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO - 02 SITE CLEARING2.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsSq.m100.002.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos 1.001.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADCum backfilling/trenches caused by removal of stumps3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m 60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m 100.00100.00					Drawings)			
the constructionsSUB TOTAL BILL NO -01 PRELIMINARY AND GENERALBILL NO -02 SITE CLEARING2.1RA-01201 (1)Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumpsSq.m100.002.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos 1.001.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 02 SITE CLEARINGBILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADSum and the same material Type I materials3.10RA-13304(3)Trimming, levelling and compaction of original groundSq.m3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m3.10RA-14Suff Suff Suff Suff Suff Suff Suff Suff	100,000.00	Allow	Item	PS				1.15
SUB TOTAL BILL NO -01 PRELIMINARY AND GENERAL         BILL NO - 02 SITE CLEARING         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       100.00         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos         SUB TOTAL BILL NO - 02 SITE CLEARING       1.00       1.00         BILL NO - 02 SITE CLEARING         BILL NO - 03 CONSTRUCTION OF APPROCH ROAD       60.00         S.8       RA-13       304 (2)       Embankment construction using barrow material Type I materials       60.00         3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground       Sq.m.       100.00								
BILL NO - 02 SITE CLEARING         2.1       RA-01       201 (1)       Clearing and grabbing inclusive of removing top soil to an average depth of 0.15m and backfilling/trenches caused by removal of stumps       100.00       100.00         2.2       RA-02       201(2)       Cutting tress girth 301mm to 600 mm       Nos       1.00         SUB TOTAL BILL NO - 02 SITE CLEARING       I.00       I.00       I.00       I.00         SUB TOTAL BILL NO - 02 SITE CLEARING       IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				RAL		[, NO -01 P]	TAL BIL	SUB TO
Image: solution of the solutio								
Image: solution of the solutio				Sq.m	Clearing and grabbing	201 (1)	RA-01	2.1
2.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos 1.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADEARTH WORKS3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00CONCRETE SURFACINGConcrete SURFACINGSq.m100.00			100.00	-				
2.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADEARTH WORKS3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00CONCRETE SURFACINGIntervention colspan="4">Sq.m								
by removal of stumpsone2.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADEARTH WORKS3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00CONCRETE SURFACINGLowLow								
2.2RA-02201(2)Cutting tress girth 301mm to 600 mmNos1.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADEARTH WORKS3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00								
to 600 mm1.00SUB TOTAL BILL NO - 02 SITE CLEARINGBILL NO - 03 CONSTRUCTION OF APPROCH ROADBILL NO - 03 CONSTRUCTION OF APPROCH ROAD3.8RA-13304 (2)Embankment construction using barrow material Type I materialsCu.m3.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00Original groundSq.m				Nee		201(2)	DA 02	2.2
SUB TOTAL BILL NO - 02 SITE CLEARING         BILL NO - 03 CONSTRUCTION OF APPROCH ROAD         EARTH WORKS       60.00         3.8       RA-13       304 (2)       Embankment construction using barrow material Type I materials         3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground       Sq.m         100.00       Interview       Interview       Sq.m       Interview			1.00	INOS		201(2)	KA-02	2.2
BILL NO - 03 CONSTRUCTION OF APPROCH ROAD         State of the stat			1.00			L NO - 02 S	TAL BIL	SUB TO
3.8RA-13304 (2) bEmbankment construction using barrow material Type I materialsCu.m60.003.10RA-14304(3)Trimming, levelling and compaction of original groundSq.m100.00Image: Concrete SURFACINGSURFACINGImage: Concrete SURFACINGImage: Concrete SURFACING					ON OF APPROCH ROAD	STRUCTI	O - 03 CON	BILL N
b     using barrow material Type I materials     60.00       3.10     RA-14     304(3)     Trimming, levelling and compaction of original ground     Sq.m       100.00     0     100.00       SURFACING     0     0					EARTH WORKS			
barrow material Type I materials     barrow material Type I materials       3.10     RA-14     304(3)     Trimming, levelling and compaction of original ground     Sq.m       100.00     0     100.00       SURFACING     0				Cu.m		304 (2)	RA-13	3.8
materials     materials       3.10     RA-14     304(3)     Trimming, levelling and compaction of original ground     Sq.m       100.00     0     100.00     100.00       CONCRETE     SURFACING     100.00			60.00		0	b		
3.10       RA-14       304(3)       Trimming, levelling and compaction of original ground       Sq.m       100.00          CONCRETE SURFACING       100.00       100.00       100.00					• •			
compaction     100.00       of original ground     100.00       CONCRETE     100.00       SURFACING     100.00				S.c		204(2)	DA 14	2 10
of original ground       CONCRETE       SURFACING			100.00	sq.m		304(3)	ка-14	5.10
CONCRETE SURFACING			100.00		*			
SURFACING								
				Cu.m	Supply, laying &	901B(1)	RA-26	3.22
compacting Grade 30 22.50			22.50					
Concrete layer including Formwork								

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
			GUARDSTONE FIXING				
3.25	RA-97	808(5)	Supply & fixing Guardstones	Nos.	7.00		
			ONSTRUCTION OF APPRO		D		
					1	1	1
<b>4.</b> A			CONSTRUCTION OF ABUTMENT & WING WALLS				
			FOUNDATION,SUB STRUCTURE & CAPPING BEAM				
4.A.1	RA-29	302(1)	Excavation for structures, soil suitable for backfill	Cu.m.	0.99		
4.A.2	RA-30	302(2)	Excavation for structures, Soft rock	Cu.m	1.98		
4.A.4	RA-32	302(4b)	Excavation for structures, Hard rock (Using Explosive)	Cu.m	0.99		
4.A.5	RA-33	302(5)	Excavation for structures, unsuitable soil	Cu.m	35.64		
4.A.7	RA-35	302(8)	Granular Backfill for Structures Concrete for Structure	Cu.m	49.17		
4.A.11	RA-39	1001(3a)	Concrete grade15(19 mm) as screed in foundation	Cu.m.	1.35		
4.A.12	RA-41	1001 (2)	Concrete of grade 20 (40mm) in abutment, wing wall (Mass Concrete wall)	Cu.m.	34.18		
4.A.14	RA-43	1001 (1)	Concrete of grade 25 (20mm) in abutment, wing wall Base (Mass Concrete)	Cu.m.	33.76		
4.A.17	RA-46	1001 (1)	Concrete of grade25(19mm) in Capping beams,ballast wall and curtain walls in Mass concrete Abutment	Cu.m.	35.38		
			Formwork	~			
4.A.20	RA-49	1008(2)	Rough finish formwork for abutments & Wing walls Base	Sq.m	19.86		
4.A.22	RA-51	1008(1)	Smooth finish formwork for abutment, wing walls, capping beams,ballast wall and curtain wall	Sq.m	208.14		
			Reinforcement				
4.A.24	RA-53	1002(1)	Fabricating & laying tor steel r/f for abutments,wing walls, capping beams,ballast wall and curtain wall	Tonnes	2.95		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
4.A.26	RA-55	1005(8)	Supplying & fixing MS dowels, spliced and droved tailed with wedge at one end 20mm dia, 1m long, boring holes to 0.3m depth in fixing	Nos.	24.00		
			Weep holes				
4.A.27	RA-56	706(1)	Forming weep holes using type 400 PVC pipe of internal dia. Not less than 110mm Drainage & Backfilling	L.m	25.20		
4.A.28	RA-57	705(1)	Backfill using aggregate 50~200mm for dry stone lining behind abutment & wing walls	Cu.m	16.29		
4.A.29	RA-58	705(2)	Filter medium using aggregate 37.5mm behind abutment and wing walls	Cu.m	2.66		
4.A.30	RA-59	705(3)	Clay puddle laid under the porous backfill, behind abutment and wing wall	Sq.m	11.40		
SUBST	RUCTURI	E	ONSTRUCTION OF BRIDG				
	IO - 05 BK	IDGE SUPE			1	1	
5.2			Concrete PSC Beam Superstructure				
5.2.2	RA-96	1001 (1)	Class A concrete of grade 25(19mm) in Footwalk	Cu.m	2.67		
			Form work				
5.2.19	RA-80	1008(1b )	Smooth finish form work for deck slab.	Sq.m	18.09		
5.2.19	RA-80 RA-81	1008(1b ) 1002(1a)	Smooth finish form work	Sq.m Tonnes	18.09 0.11		
5.2.20		)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor				
5.2.20		)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor steel reinforcement				
5.2.20 <b>5.3</b>		)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor steel reinforcement <b>Concrete Deck Slab</b> <b>Concrete</b> Class A Concrete G25 (19mm) in deck slab & Parapet wall				
5.2.20 5.3 5.3.1	RA-81 RA-96	) 1002(1a) 1001 (1)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor steel reinforcement <b>Concrete Deck Slab</b> <b>Concrete</b> Class A Concrete G25 (19mm) in deck slab & Parapet wall <b>Formwork</b>	Tonnes Cu.m.	0.11		
5.2.20 <b>5.3</b>	RA-81	) 1002(1a)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor steel reinforcement <b>Concrete Deck Slab</b> <b>Concrete</b> Class A Concrete G25 (19mm) in deck slab & Parapet wall <b>Formwork</b> Smooth finish formwork for sides of deck slab & Parapet wall	Tonnes	0.11		
5.2.20 5.3 5.3.1	RA-81 RA-96	) 1002(1a) 1001 (1)	Smooth finish form work for deck slab. Reinforcements Fabricating & laying Tor steel reinforcement <b>Concrete Deck Slab</b> <b>Concrete</b> Class A Concrete G25 (19mm) in deck slab & Parapet wall <b>Formwork</b> Smooth finish formwork for sides of	Tonnes Cu.m.	0.11		

ITEM NO	RATE NO	PAY ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT RS. Cts.
5.4			Miscellaneous				
5.4.4	RA-90a	1020(1b )	Supplying & fixing 50 mm dia. Type 400 PVC pipes as rain water outlets through deck as per drawing.	L.m	2.26		
5.4.7	RA-97	1303(3)	Painting Bridge hand rail with weather shield Emulsion Paint Two coats	Sq.m.	27.41		
5.4.8	RA-98	1303(4)	Stenciling and Numbering on Bridges	Nos	2.00		
SUB TO	TAL BIL	L NO -05 B	RIDGE SUPER STRUCTUR	E CONS		ON	

#### 4.Illagolla Bridge

BILL NC	- 07 DAY WORKS				
ITEM NO	DESCRIPTION	<b>DESCRIPTION</b> UNIT	QTY	RATE	AMOUNT RS. Cts.
7.1	Labour				
7.1.1	Unskilled labour	Day	5.00		
7.1.2	Semi skilled labour	Day	5.00		
7.1.3	Skilled labour	Day	5.00		
7.1.4	Operators	Day	5.00		
	Total cost of Labour				
7.2	Equipment				
7.2.1	Backhoe loader - 2WD, 0.15 scoop capacity	Hrs	5.00		
7.2.2	Farm Tractor with 3T trailer	Hrs	10.00		
7.2.3	Water Bowser - 6000 ltrs	Hrs	10.00		
7.2.4	Concrete Mixer - 200ltrs (10/7)	Hrs	10.00		
7.2.5	Water pump - 2 inch	Hrs	25.00		
7.2.6	Porker vibrator (Petrol) - 1.8m.hour	Hrs	5.00		
7.2.7	Lorry 3 Ton - 3Ton	Km	50.00		
7.2.8	Plate Compactor - 80kg tamper plates	Hrs	10.00		
7.2.9	Excavator	Hrs	5.00		
	Total cost of Equipment				
7.3	Materials				
		<b>7</b> 01	5.00		
7.3.1	Cement - Ordinary	50kg	5.00		
7.3.2	Aggregate for concrete (19mm) Sand	Cu.m.	2.00		
1.3.3	Total cost of Material	Cu.m.	2.00		

## Summary of Day works

Description	Amount (Rs.)
1. Labour	
2. Equipment	
3. Material	
Total	

# Section - 8

Drawings

## DRAWINGS

# MadaArawa Bridge

No.	Description	Drawing No.	Nor. Of Drawings
1	SLAB TWIN SPAN BRIDGE	DD/D/CP/RBP/MSLB/02	1
2	TYPICAL MASS CONCRETE	DD/D/CP/RBP/MR/01	1
	RETAINING WALL		
3	TYPICAL DETAILS	DD/D/CP/RBP/TY/01	1

Kehelwathupitiya Bridge

No.	Description	Drawing No.	Nor. Of Drawings
1	TYPICAL CELL TYPE BRIDGE	DD/D/CP/RBP/CEL/01	1
2	TYPICAL MASS CONCRETE	DD/D/CP/RBP/MR/01	1
	RETAINING WALL		
3	TYPICAL DETAILS	DD/D/CP/RBP/TY/01	1

# Illagolla Bridge

No.	Description	Drawing No.	Nor. Of Drawings
1	SLAB SINGLE SPAN BRIDGE	DD/D/CP/RBP/MSLB/03	1
2	TYPICAL MASS CONCRETE	DD/D/CP/RBP/MR/01	1
	RETAINING WALL		
3	TYPICAL DETAILS	DD/D/CP/RBP/TY/01	1

# Section - 9

# **Standard Bid Forms**

- * Bid Security
- * Affidavit for the Current Commitments
- * Bank Letter Granting the Revolving Line of Credit

### FORM OF BID SECURITY

#### [This Guarantee form shall be filled in accordance with the instructions indicated in brackets]

*agency's name, and address of issuing branch or office]* [insert issuing

**Beneficiary:** Director General, Road Development Authority, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla.

**Date:** *[insert (by issuing agency) date]* 

- i. has withdrawn its Bid during the period of bid validity specified; or
- ii. does not accept the correction of errors in accordance with the Instruction to Bidders (hereinafter "the ITB") of the IFB or
- iii. having been notified of the acceptance of its Bid by the Employer during the period of bid validity,
  - (i) fails or refuses to execute the Contract Form, if required, or
  - (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB.

This Guarantee shall expire:

- (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract signed by the Bidder and of the Performance Security issued to you by the Bidder; or
- (b) if the Bidder is not successful bidder, upon the earlier of the successful bidder furnishing the performance security, otherwise it will remain in force up to ...... (*insert date*)

Consequently, any demand for payment under this Guarantee must be received by us at the office on or before that date.

Signature and the Seal of the Guarantor: Designation Name of the Organization		
Date:		
Name	. NIC No	Signature
Name	. NIC No	Signature

Note: Any bid security which has deviated from this bid Security format shall be considered as non-responsive

## FORM FOR AFFIDAVIT FOR THE CURRENT COMMITMENTS

Director General, Road Development Authority

In accordance with the Clause 4.4 of the Instructions to Bidders, I (We) declare that the outstanding Contract Commitments of (*Name of the Bidder (s)* are as follows. I (We) further declare that all the outstanding contract commitments are listed below.

Specialty	Name of the Contract	Name of the Client	Initial Contract Amount (Rs.)	Outstanding Work (Rs.)		
Highways*						
Bridges*						
Buildings*						
Irrigation*						
#						
	Total					

Signature of the Bidder

Justice of The Peace

* Add additional rows to include all the current projects if needed

# Add additional speciality to include all the current projects

Note –The bidders who do not provide all contract commitment shall be treated as non responsive according to the clause 3.3 of ITB

# FORM FROM THE BANK FOR GRANTING THE REVOLVING LINE OF CREDIT

[In Letterhead of the bank]

FROM

:

- : Director General
- TO : Director General Road Development Authority (RDA) 1st Floor, "Maganeguma Mahamedura", 216, Denzil Kobbekaduwa Mawatha, Battaramulla, Sri Lanka

SUB:Letter from the bank for providing a line of credit in favour of ......¹ in case of award to them of works for the Contract of construction of MadaArawa Bridge, Kehelwathupitiya Bridge and Illagolla Bridge (Name of the Project) UNDER Contract No: RDA/Central/N. Eliya/Hangu/GSP/CECB/33

Dear Sir,

to under of the the w	grant r the Con e Project) vorks are	revolving tract of under Contr taken over b	line  act No: by the R	of  .DA.	credit for the	for e purp	an bose of	amount the execu	of tion of	Sri the Ci	Lanka ivil Work	Rupees Contracts , (Name
Sign		the Seal of										
Nam	e of the O	Organization .										
Witn	ess:											
Nam	e				NIC No			Signa	ture			

Note - Does not provide it strictly according to given Form shall be treated as non responsive Revolving Line of Credit

¹ Name of Beneficiary / Bidder

² Name of Bank

³ Name of Beneficiary / Bidder

# **Check List for Bidders**

	ITB clause	Yes	Reference
Form of Bid			
Completed?	18		
Signed?	18		
No of addendum issued (taken to form of Bid)			
Bid security			
Addressed to the Employer?	16		
Format as required?	16		
Issuing agency as specified?	16		
Amount as required?	16		
Validity 28 days beyond the validity of bid?	16		
Qualification information			
Copy of ICTAD Registration? (Registration No, Grade, Specialty, Expiry Date)	4		
Copy of VAT registration or a letter form Inland Revenue that the Bidder is not VAT registered?	4		
Authentication of for signature (Power of Attorney)?	4		
Certified Copy of Audited Financial Statements for the last five years? (Construction turn over for last five years; Current assets and current liabilities for last year)	4		
A letter from a <u>Bank</u> on the provision of credit facilities?	4		
The Affidavit For The Current Contractual Commitments?	4		
<b>Construction Programme and Cash Flow Chart?</b>	4		
Similar work completed in last 10 years	4		
Major items of construction equipment proposed	4		
Qualification and Experience of key staff	4		
Addendum			
Content of addendum (if any) taken in to account?	10		
Bid package			
All the documents given in ITB clause 12 enclosed in the original and copy?	12		
ITB clause 19 followed before sealing the bid package?	19		